

Start and stay with NeutraSal® for chronic dry mouth symptom relief



NeutraSal® is a clinically proven rinse to help relieve your dry mouth symptoms. The ingredients in NeutraSal® work like saliva to help balance your oral pH and restore the oral environment.

Safety Considerations

NeutraSal® is not intended

- to prevent xerostomia (dry mouth)
- for systemic use to treat any diseases of the throat or upper gastrointestinal tract
- for use as an antacid

Use NeutraSal® daily for dry mouth

- NeutraSal® is a therapeutic rinse with no added flavoring
- Rinse at least twice daily or as directed by your dental professional (for oral mucositis, use 4-10 times daily, as needed)
- In a clinical study, patients who used it for 28 days noticed improvements in eating, swallowing, and talking
—A majority of patients in the study also showed reduced harmful bacteria that can cause dental decay

How to use NeutraSal®



1. Dissolve entire contents from the single-use packet in 1 oz (2 Tbsp) of water



2. Immediately swish half of the mixed oral rinse for one minute, spit out, then repeat with the remaining half of the rinse



3. Use daily for best results

Avoid eating or drinking for at least 15 minutes after use.

NeutraSal® is gentle

- Does not go through your system or affect the rest of your body
- Has no anticipated side effects if swallowed accidentally
- Does not interact with other medications you are taking
- No added flavor
- Patients on a low-sodium diet should consult their physician before use

NeutraSal® is a prescription oral rinse

- Contact the pharmacy that provided your prescription to request a refill or sign up to receive automatic shipments for up to 10 refills


Talk to your dentist if you have any questions about NeutraSal®.


Please see Instructions for Use on reverse side and visit www.neutrasal.com for more information.

References: **1.** Papas AS, Clark RE, Martuscelli G, O'Loughlin KT, Johansen E, Miller KB. A prospective, randomized trial for the prevention of mucositis in patients undergoing hematopoietic stem cell transplantation. *Bone Marrow Transplant.* 2003;31(8):705-712. **2.** Levin EZ. The beneficial effects of a supersaturated calcium phosphate rinse on the oral cavity in xerostomia patients. Tulsa, OK: PennWell Publications; 2014. **3.** Levin EZ. Management of xerostomia and microflora with supersaturated calcium-phosphate rinse. 2013. Data on file. OraPharma, Inc.

OrAPHARMA

NeutraSal is a trademark of Valeant Pharmaceuticals International, Inc., or its affiliates.
©2016 Valeant Pharmaceuticals North America LLC NSL.0029.USA.16 4/16

 **NeutraSal®**
(Supersaturated Calcium Phosphate Rinse)



Powder for Supersaturated Calcium and Phosphate Rinse

Ingredients: (Active) Dibasic Sodium Phosphate, Monobasic Sodium Phosphate, Calcium Glycerophosphate, Sodium Chloride, Sodium Bicarbonate **(Inactive)** Silicon dioxide

Pharmaceutical Form: NeutraSal® is a powder in a packet intended to be dissolved or dispersed in water (tap water, distilled or purified water) before administration to form a solution supersaturated with respect to both calcium and phosphate ions.

Actions: NeutraSal®, when dissolved or dispersed in water before use, forms an electrolyte solution resembling human saliva, designed in part to replace the normal ionic and pH balance in the oral cavity.

Indications for Use: NeutraSal® is indicated for dryness of the mouth (hyposalivation, xerostomia); NeutraSal® is also indicated for dryness of the oral mucosa due to drugs such as antihistamines or atropine or other anticholinergic agents that suppress salivary secretion; NeutraSal® may be used as part of an oral hygiene program for patients with dry mouth. NeutraSal® also provides intensive hygiene of the oral cavity.

NeutraSal® is also indicated as an adjunct to standard oral care in relieving the discomfort associated with oral mucositis that may be caused by radiation or high dose chemotherapy.

Relief of dryness of the oral mucosa in these conditions is associated with amelioration of pain.

NeutraSal® may be used for relief of dryness of the oral mucosa when hyposalivation results from any of the following: surgery, radiotherapy near the salivary glands, chemotherapy, infection or dysfunction of the salivary glands; fever; emotional factors such as fear or anxiety; obstruction of the salivary ducts; Sjögren's syndrome.

Special precautions for use: Avoid eating or drinking for at least 15 minutes after use.

NeutraSal® should not be swallowed and the solution should be spit out. NeutraSal® is not intended for systemic use to treat any diseases of the throat or upper gastrointestinal tract.

NeutraSal® is not intended for use as an antacid. If NeutraSal® is swallowed accidentally, no adverse effects are anticipated.

NeutraSal® must be dissolved in water before being used. Do not use if the packet is opened or shows sign of leakage or damage.

Contains sodium. Patients restricted to a low sodium diet should consult their physician before use.

Store at room temperature, avoid excessive heat or moisture.

Directions for Use: Dissolve or disperse one packet of NeutraSal® in a clean glass of approximately 30 mL (1 ounce) of tap water. Distilled or purified water can also be used. Use immediately after the solution appears clear or nearly clear in the glass, or in about 15 seconds. Product can be stirred in water.

(1) Swish the solution in the mouth thoroughly for 1 minute with 1/2 of the solution and spit out.

(2) Repeat with the remaining 1/2 of the solution and spit out.

- **For use during high dose chemotherapy or radiation treatment:** 4 doses per day from the onset of the cancer treatment or as needed. Up to 10 doses per day may be used if pain from mucositis is experienced. Use for the duration of the treatment or as instructed by physician.
- **Relief of dry mouth:** 2-10 times per day or as instructed by physician or as needed.

KEEP OUT OF REACH OF CHILDREN.

Caution: Federal law restricts this device to sale by or on the order of a physician or dentist.

Interaction with Other Medicinal Products and Other Forms of Interaction

There are no known interactions with medicinal or other products.

Stop Use and Consult Your Doctor or Dentist if:

- An allergic reaction occurs. Seek medical help right away.
- Pregnant or breast feeding, ask a health professional before use.
- In case of overdose, get medical help immediately or contact a Poison Control Center right away.

How Supplied: NeutraSal® is supplied in individual packets.

UPC-A: 3-65976-10130-5 (30 per box)

1 dose = 1 packet

Manufactured for: OraPharma, Inc., a subsidiary of Valeant Pharmaceuticals International, Rochester, NY 14609 USA

NeutraSal is a trademark of Valeant Pharmaceuticals International, Inc. or its affiliates.

US Patent Pending

Rev. 01/16

9519800